Amdt. Dated June 14, 2007

Reply to Office Action of March 14, 2007

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the above-identified application:

 (currently amended) A trending system for trending data from a physical system, the trending system comprising:

a sliding window filter, the sliding window filter adapted to receive receiving a data set from the physical system, the data set comprising a plurality of data points, the sliding window filter selecting multiple data windows in the data set, with each of the data windows including a subset plurality of the data points in the data set, the sliding window filter adapted to generate generating upper confidence bounds and lower confidence bounds for each data point using each of the multiple data windows that includes the data point, the sliding window filter adapted to select selecting an upper confidence bounds bound and a lower confidence bounds bound for each data point that results in the smallest confidence interval for that data point, and wherein the sliding window filter is adapted to generate a filtered estimate of the data set from the selected upper confidence bounds and lower confidence bounds for each data point.

- 2. (cancelled)
- (currently amended) The system of claim 1 wherein the sliding window filter is
 adapted to generate determines the upper confidence bounds and lower confidence
 bounds through linear regression and statistical inference of the data set.

Amdt. Dated June 14, 2007

lower confidence bounds.

Reply to Office Action of March 14, 2007

 (currently amended) The system of claim 3 wherein the sliding window filter is adapted to perform performs the statistical inference using Student-t statistics.

5. (currently amended) The system of claim 1 further comprising a trend change detection mechanism, the trend change detection mechanism <u>adapted to determine</u> determining a first convex hull for a set of upper confidence bounds and a second convex hull for a set of lower confidence bounds, the <u>trend change detection extrapolation</u> mechanism <u>adapted to compare emparing</u> the first convex hull and the second convex hull to <u>determine determining</u> a transition point in the data set, the <u>trend change detection extrapolation</u> mechanism <u>adapted to determine determining</u> an estimated trend of the data set based on the transition point and the set of upper confidence bounds and the set of

6. (currently amended) The system of claim 5 wherein the trend change detection mechanism is adapted to compare empares the first convex hull to the second convex hull by determining if the first convex hull and the second convex hull intersect.

7. (currently amended) The system of claim 5 wherein the trend change detection mechanism is adapted to compare compares the first convex hull and the second convex hull to determine a transition point in the data stream by determining if the first convex hull and the second convex hull intersect, and by iteratively discarding points in the data set and generating a new first convex hull and a new second convex hull until there is no intersection between the new first convex hull and the new second convex hull.

Amdt. Dated June 14, 2007

Reply to Office Action of March 14, 2007

8. (currently amended) The system of claim 1 wherein the trending system further comprises an outlier climination mechanism, the outlier climination mechanism <u>adapted to remove removing</u> statistical outliers in the data set by generating a first prediction cone for data points in a left sample window, generating a second prediction cone for data points in a right sample window, and determining if data points in a test window reside in

the first prediction cone and the second prediction cone.

9. (currently amended) The system of claim 8 wherein the outlier elimination mechanism is adapted to generate generates the first prediction cone and the second prediction cone by linear regression of the data points in the left sample window and

linear regression of the data points in the right sample window.

10. (currently amended) The system of claim 9 wherein the outlier elimination mechanism is adapted to move moves the left sample window, right sample window, and took window, the date set to some your outlier through out the date set.

test window through the data set to remove outliers through out the data set.

11. (currently amended) The system of claim 8 wherein the outlier elimination mechanism is adapted to determine determines outliers by a weighted reciprocal of confidence intervals generated by prediction cones.

confidence intervals generated by prediction cones.

12. (original) The system of claim 1 wherein adjacent windows in the multiple data windows overlap in the data set.

4

Amdt. Dated June 14, 2007

Reply to Office Action of March 14, 2007

13. (original) The system of claim 1 wherein the physical system comprises an aircraft

system.

14. (currently amended) A method of trending data from a physical system, the method

comprising the steps of:

a) receiving, from the physical system, a data set comprising a plurality of data

points;

b) selecting multiple data windows in the data set, each of the data windows

including a subset plurality of data points;

c) generating upper confidence bounds and lower confidence bounds for each of the

data points using each of the multiple data windows that includes the data point;

and

d) selecting an upper confidence bounds bound and a lower confidence bounds

bound for each data point that results in the smallest confidence interval; and

e) generating a filtered estimate of the data set from the selected upper confidence

bounds and lower confidence bounds for each data point.

15. (cancelled)

5

Amdt. Dated June 14, 2007

Reply to Office Action of March 14, 2007

16. (original) The method of claim 14 wherein the step of generating upper confidence bounds and lower confidence bounds comprises generating through a linear regression and statistical inference.

17. (original) The method of claim 16 wherein the statistical inference comprises using student-t statistics.

18. (original) The method of claim 14 further comprising the step of generating a first convex hull from a first set of upper confidence bounds generating a second convex hull from a second set of lower confidence bounds, and further comprising the step determining a transition point in the data set from the first convex hull and the second convex hull.

19. (original) The method of claim 18 wherein the step of determining a transition point in the data stream from the first convex hull and the second convex hull comprises determining if the first convex hull and the second convex hull intersect.

20. (original) The method of claim 18 wherein the step of determining a transition point in the data stream from the first convex hull and the second convex hull comprises comparing the first convex hull to the second convex hull to determine if the first convex hull and the second convex hull intersect, and further comprises iteratively discarding points in the data set and generating a new first convex full and a second new convex full until there is no intersection between the first new convex hull and the second new convex hull.

Amdt. Dated June 14, 2007

Reply to Office Action of March 14, 2007

21. (original) The method of claim 14 further comprising the step of removing outlier

data from the data stream by generating a first prediction cone for data points in a left

sample window, generating a second prediction cone for data points in a right sample

window, and determining if data points in a test window reside in the first prediction

cone and the second prediction cone.

22. (original) The method of claim 21 wherein the first prediction cone and the second

prediction cone are generated by linear regression of the data points in the left sample

window and linear regression of the data points in the right sample window.

23. (original) The method of claim 21 comprising the step of moving the left sample

window, right sample window and test window through the data set to remove outliers

through out the data set.

24. (original) The method of claim 14 wherein adjacent windows in the multiple data

windows overlap in the data set.

25. (original) The method of claim 14 wherein the physical system comprises an aircraft

system.

7

29. (cancelled)

Amdt. Dated June 14, 2007

Reply to Office Action of March 14, 2007

26. (currently amended) A program product comprising:

a) a trending program, the trending program including:

a sliding window filter, the sliding window filter adapted to receive receiving a data set from the physical system, the data set comprising a plurality of data points, the sliding window filter selecting multiple data windows in the data set, with each of the data windows including a subset plurality of the data points in the data set, the sliding window filter adapted to generate generating upper confidence bounds and lower confidence bounds for each data point using each of the multiple data windows that includes the data point, the sliding window filter adapted to select selecting an upper confidence bounds bound and a lower confidence bounds bound for each data point that results in the smallest confidence interval for that data point, and wherein the sliding window filter is adapted to generate a filtered estimate of the data set from the selected upper confidence bounds and lower confidence bounds for each data point; and

b) computer-readable medium signal bearing media bearing said trending program.

27.	(cancelled)			
28.	(cancelled)			
	()			

Amdt. Dated June 14, 2007

Reply to Office Action of March 14, 2007

30. (currently amended) The program product of claim 26 wherein the sliding window filter is adapted to generate determines the upper confidence bounds and lower confidence bounds through linear regression and statistical inference of the data set.

31. (currently amended) The program product of claim 30 wherein the sliding window filter is adapted to perform performs the statistical inference using Student-t statistics.

32. (currently amended) The program product of claim 26 wherein the trending program further comprises a trend change detection mechanism, the trend change detection mechanism adapted to determine determining a first convex hull for a set of upper confidence bounds and a second convex hull for a set of lower confidence bounds, the trend change detection extrapolation mechanism adapted to compare comparing the first convex hull and the second convex hull to determine determining a transition point in the data set, the extrapolation mechanism adapted to determine determining an estimated trend of the data set based on the transition point and the set of upper confidence bounds and the set of lower confidence bounds.

33. (currently amended) The program product of claim 32 wherein the trend change detection mechanism is adapted to compare compares the first convex hull to the second convex hull by determining if the first convex hull and the second convex hull intersect.

Amdt. Dated June 14, 2007

Reply to Office Action of March 14, 2007

34. (currently amended) The program product of claim 32 wherein the trend change detection mechanism is adapted to compare compares the first convex hull and the second convex hull to determine a transition point in the data stream by determining if the first convex hull and the second convex hull intersect, and by iteratively discarding points in the data set and generating a new first convex hull and a new second convex hull until there is no intersection between the new first convex hull and the new second convex hull.

35. (currently amended) The program product of claim 26 wherein the trending program further comprises an outlier elimination mechanism, the outlier elimination mechanism adapted to remove removing statistical outliers in the data set by generating a first prediction cone for data points in a left sample window, generating a second prediction cone for data points in a right sample window, and determining if data points in a test window reside in the first prediction cone and the second prediction cone.

36. (currently amended) The program product of claim 35 wherein the outlier elimination mechanism is adapted to generate generates the first prediction cone and the second prediction cone by linear regression of the data points in the left sample window and linear regression of the data points in the right sample window.

37. (currently amended) The program product of claim 36 wherein the outlier elimination mechanism is adapted to move moves the left sample window, right sample window, and test window through the data set to remove outliers through out the data set.

Amdt. Dated June 14, 2007

Reply to Office Action of March 14, 2007

38. (currently amended) The program product of claim 35 wherein the outlier climination mechanism is adapted to determine determines outliers by a weighted reciprocal of confidence intervals generated by prediction cones.

39. (original) The program product of claim 26 wherein adjacent windows in the multiple data windows overlap in the data set.

40. (original) The program product of claim 26 wherein the physical system comprises an aircraft system.